

Beechcraft

DUKE B60



PRICE LIST OPTIONAL EQUIPMENT

Effective October 1, 1981

BEECHCRAFT DUKE B60

Suggested Selling Price: **\$433,250.00**

Price Effective for Aircraft Scheduled for Delivery Through March 1982

Powered with two 6-Cylinder Lycoming TIO-541-E1C4 turbocharged engines rated at 380 horsepower each. Equipped with avionics. Pressurized.

OPTIONAL EQUIPMENT ITEMS OFFERED FOR FACTORY INSTALLATION

	Installed Weight	Suggested Selling Price
Air Conditioner (Refrigeration Type)	66 lbs.	\$9,960.00
Brakes, Copilot	6 lbs.	650.00
Cabin Interior Items		
Club Seating		
Aft Facing 3rd and 4th Seats with Headrests, without Shoulder Harness		
Forward Facing 5th and 6th Seat Arrangement with Center Folding Armrest, Headrest and Shoulder Harness		
Forward Cabin Curtain (Exchange Standard 3rd and 4th Chair Arrangement)	+43 lbs.	6,250.00
Fifth and Sixth Seat Arrangement with Center Folding Armrest, Air Outlets and Reading Lights, Headrests, Seat Belts, and Shoulder Harnesses	48 lbs.	6,120.00
Desk, Executive Writing (Mounted on Right Sidewall, used with Club Seating Arrangement only)	10 lbs.	1,140.00
Lavatory (Dry Toilet) Mounted in Sixth Seat, with Privacy Curtain	8 lbs.	2,495.00
Relief Tube - Pilot's	1 lb.	355.00
Clock - Pilot's Control Wheel 8-Day, Manual Wind (Exchange)	Negl.	N/C
Deicing/Anti-Icing Systems		
Deicing Boots, Automatic Lightweight (Includes Wing Ice Light)	27 lbs.	11,995.00
Propeller Anti-Icing, Electric	9 lbs.	5,860.00
Windshield Anti-Icing - Electric (Left Side ONLY)	23 lbs.	6,650.00
Fire Extinguisher, Cabin (Halon)	5 lbs.	215.00
Flags, United States (Scotchcal) (Set of Two 7.5" x 12" Slanted)	Negl.	32.00
Fuel		
Extended Range Wing Fuel Tanks		
Option No. 1 (202 Gallon replaces 142 Gallon)	+33 lbs.	+6,320.00
Option No. 2 (232 Gallon replaces 142 Gallon)	+53 lbs.	+13,440.00
Instruments		
Airspeed Indicator - MPH and Knots (each) (Exchange for Knots Only)	Negl.	+65.00
Deluxe Instrument Panel	15 lbs.	3,890.00
Includes:		
Second Airspeed Indicator		
Second Altimeter (Pneumatic)		
Second Rate of Climb Indicator		
Second Turn and Bank Indicator		
Second Gyro Horizon		
Second Directional Gyro		
Second Heated Pitot		
Second Static System		
Engine Hour Recorder	1 lb.	230.00
Flight Hour Recorder	1 lb.	230.00
Instantaneous Vertical Speed Indicator (Exchange)	Negl.	+605.00

	Installed Weight	Suggested Selling Price
Tachometer with Synchroscope (Exchange)	Negl.	\$1,080.00
Lighting - Exterior		
Recognition Lights - Wing Tips	1 lb.	1,100.00
Strobe Lights - 3-Light System (Wing Tips and Tail)	10 lbs.	3,325.00
Wing Ice Light	1 lb.	265.00
Lighting - Interior		
Internally Lighted Instruments - Pilot and Copilot	Negl.	2,110.00
Map Light - Copilot's Control Wheel	Negl.	235.00
Oxygen Installation (7 Outlets) Lightweight Bottle)		
a. 11 cubic foot bottle	19 lbs.	2,800.00
b. 22 cubic foot bottle	24 lbs.	2,940.00
c. 49 cubic foot bottle	34 lbs.	3,315.00
Propeller		
Synchronizer	7 lbs.	3,325.00
Unfeathering Accumulators	14 lbs.	805.00

Cabinetry

Refreshment Cabinet (Walnut Finish) (Forward Left Side Only) (Used with Club Seating Arrangement Only)		
a. With One Quart Thermos Bottle, Ice Chest and General Storage (four drawer)	32 lbs.	\$1,535.00
b. With One Gallon Electric Coffee Unit, Water Dispenser, Ice Chest and General Storage (two drawer)	37 lbs.	2,900.00

INTERIOR TRIM OPTIONS (Exchange for Standard Vinyl)		
Leather Upper and Lower Sidewalls	Negl.	\$975.00
Leather Center Sidewalls	Negl.	560.00
Leather Chair Trim with Fabric Inserts (Exchange for Standard Vinyl)		
a. 4 Chairs	Negl.	1,320.00
b. Each Additional Chair	Negl.	330.00

EXTERIOR TRIM OPTION

Paint, Trim — Special Radar Gold (Pin Striping Only, Per Styling Design)	Negl.	400.00
--	-------	--------

STANDARD AVIONICS PACKAGE

Collins Micro Line

	Installed Weight Included in Empty Weight of Airplane
Collins VHF-251 Main VHF Transceiver with PWC-150 Power Adapter and B3 Com Antenna	
Collins VIR-351 Omni No. 1 Receiver with IND-351A VOR/ILS Indicator and DM N4-17E Antenna	
Collins AMR-350 Audio Panel	
Collins Marker Beacon incorporated in AMR-350, Single Set Marker Lights and B16 Antenna	
Collins ADF-650A ADF with IND-650A Indicator and ANT-650A Antenna	
Collins GLS-350 Glideslope Receiver with A-326A Antenna	
Collins TDR-950 Transponder with B18 Antenna	

	Installed Weight	Suggested Selling Price
Beech Metal Radio Panel, Radio Accessories, and Static Wicks		
Mic Key Button in Pilot's Control Wheel		
White Lighting		
Dual Microphones and Headsets, Single Cockpit Speaker		
Avionics Master Switch		
NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.		

**OPTIONAL AVIONICS PACKAGES
IN LIEU OF STANDARD AVIONICS**

Collins Micro Line +37 lbs. \$+17,450.00

Collins VHF-251 Main VHF Transceiver with PWC 150 Power Adapter and B3 Com Antenna

Collins VHF-251 Standby VHF Transceiver with PWC-150 Power Adapter and A15 Com Antenna

Collins VIR-351 Omni No. 1 Receiver with IND-351A VOR/ILS Indicator and DM N4-17E Antenna

Collins VIR-351 Omni No. 2 Receiver with IND-351A VOR/ILS Indicator and B8 Coupler

Collins AMR-350 Audio Panel

Collins Marker Beacon incorporated in AMR-350, Single Set Marker Lights and B16 Antenna

Collins ADF-650A ADF with IND-650A Indicator and ANT-650A Antenna

Dual Collins GLS-350 Glideslope Receivers with A-326A Antenna

Collins DME-451 DME with IND-451 Indicator, Nav 1/Nav 2 Switching, DME Hold, and B18 Antenna

Collins TDR-950 Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories, and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

Collins Pro Line +65 lbs. \$+63,350.00

Collins VHF-20A Main Transceiver with Dual Gables Controls and B3 Antenna

Collins VHF-20A Standby Transceiver with Gables Control and A15 Antenna

Collins VIR-30 MGM Manual Omni No. 1 with IND-31C Indicator, Gables Control and DM N4-17E Antenna

Collins VIR-30MG Manual Omni No. 2 with IND-31C Indicator and Gables Control

Collins 356C-4 Isolation Amplifier and 356F-3 Speaker Amplifier with Single Audio Switch Panel

Collins ADF-60A ADF with KNI-580 Indicator, Gables Control, Voice Range Filter and ANT-60A Antenna

	Installed Weight	Suggested Selling Price
Collins Marker Beacon Included in No. 1 VIR-30 with B16 Antenna and Single Set Marker Lights		
Dual Collins Glideslopes included in VIR-30's with A-326A Antenna		
Collins DME-40 DME with 339F-12 Indicator, Nav 1/Nav 2 Switching, DME Hold, and DM NI 50-4 Antenna		
Collins TDR-90 Transponder with DM NI 50-4 Antenna		
Single 50VA Flite-Tronics PC-50 Inverter with Failure Light		
Beech Custom Edgelighted Radio Panel, Radio Accessories, Static Wicks and Mic Key Button in Pilot's Control Wheel		
White Lighting		
Dual Microphones, Headsets and Single Cockpit Speaker		
Avionics Master Switch		
NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.		

King Silver Crown +21 lbs. \$+18,900.00

King KY-196 Main VHF Transceiver with B3 Com Antenna

King KY-196 Standby VHF Transceiver with A15 Com Antenna

King KN-53-00 Omni No. 1 Receiver with KN-72 VOR/LOC Converter, KI-206 VOR/ILS Indicator and DM N4-17E Antenna

King KN-53-00 Omni No. 2 Receiver with KN-72 VOR/LOC Converter, KI-206 VOR/ILS Indicator and B8 Coupler

King KMA-24 Audio Panel

King Marker Beacon Incorporated in KMA-24, Single Set Marker Lights and B16 Antenna

King KR-87 ADF with KI-227 Indicator and Combined Loop/Sense Antenna

Dual King Glideslope Receivers Incorporated in Dual KN-53-00 with A-326A Antenna

King KN-63 DME with Nav 1/Nav 2 Switching, KDI-572 Indicator, DME Hold, and B18 Antenna

King KT-76A Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

King Gold Crown +49 lbs. \$+59,750.00

King KTR-908 Main Transceiver with King KFS-598 Control and B3 Com Antenna

King KTR-908 Standby Transceiver with King KFS-598 Control and A-15 Antenna

King KNR-634-04 Automatic Omni No. 1 with KI-206 Indicator and King KFS-564 Control with DM N4-17E Nav Antenna

King KNR-634-05 Automatic Omni No. 2 with KI-206 Indicator and King KFS-564 Control

	Installed Weight	Suggested Selling Price
King KAA-455 Isolation-Speaker Amplifier and Single Audio Switch Panel		
Dual King Glideslope Receivers included in KNR-634's with A-326A Antenna		
King Marker Beacon included in No. 1 KNR-634 with B16 Antenna, Single Set Marker Lights		
King KDF-806 ADF with KNI-580 Indicator, King KFS-586 Control and Voice Range Filter and KA-44B Combined Loop/Sense Antenna		
King KDM-706 DME with KDI-572 Indicator, Nav 1/Nav 2 Switching, DME Hold, and B18 Antenna		
King KXP-756 Transponder with King KFS-576 Control and B18 Antenna		
Beech Custom Edgelighted Radio Panel		
Radio Accessories, Static Wicks and Mic Key Button in Pilot's Control Wheel		
White Lighting		
Dual Microphones and Headsets, Single Cockpit Speaker		
Avionics Master Switch		
NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.		

OPTIONS TO THE STANDARD AND OPTIONAL AVIONICS PACKAGES

ADF

King KDF-806 ADF, Voice Range Filter and KNI-580 Indicator with King KFS-586 Control and KA-44B Loop/Sense Antenna (Exchange KR-87 ADF and KI-227 Indicator)	+5 lbs.	+\$6,735.00
NOTE: Voice Range Filter not applicable if KMA-24 Audio is used.		
*Collins ADF-60A ADF, Voice Range Filter and KNI-580 Indicator (Exchange ADF-650A ADF and IND-650A Indicator)	+4 lbs.	+6,845.00
NOTE: Voice Range Filter not applicable if AMR-350 is used.		

Antennas

Collins 37R-2 Com Antenna (Exchange B3)	Negl.	+\$330.00
Collins 37X-2 Marker Beacon Antenna (Exchange B16)	Negl.	+200.00

Audio System

Collins 356C-4 Isolation Amplifier, Collins 356F-3 Speaker Amplifier and King KMR-675 Marker Receiver with Single Light		
a. Exchange for KMA-24	+2 lbs.	+\$2,170.00
b. Exchange for AMR-350	+1 lb.	+2,330.00

DME

Collins DME-40 with 339F-12 Indicator, Nav 1/Nav 2 Switching, DME Hold, and DM NI 50-4 Antenna (Less Control) (Exchange for King KDM-706 DME)	+3 lbs.	+\$1,045.00
King KN-63 DME with KDI-572 Indicator, DME Hold, B18 Antenna, and Nav 1/Nav 2 Switching (Less Control) (Exchange for Collins DME-451 DME)	-2 lbs.	+85.00

Omnis - Automatic

*Collins VIR-30AG Automatic Omni (No Control or Indicator) (Exchange VIR-30MG)	Negl.	+\$990.00
*Collins VIR-30AGM Automatic Omni (No Control or Indicator) (Exchange VIR-30MGM)	Negl.	+990.00

ADDITIONAL AVIONICS EQUIPMENT

	Installed Weight	Suggested Selling Price
Second ADF Systems		
King KDF-806 ADF, KNI-580 Single Pointer Indicator and Voice Range Filter with King KFS-586 Control and KA-44B Loop/Sense Antenna	16 lbs.	\$11,870.00
King KR-87 ADF, KI-227 Indicator and Voice Range Filter with Combined Loop/Sense Antenna	9 lbs.	5,135.00
NOTE: Voice Range Filter not applicable if KMA-24 Audio is used.		
Collins ADF-650A ADF, IND-650A Indicator and Voice Range Filter with ANT-650A Antenna	12 lbs.	4,895.00
NOTE: Voice Range Filter not applicable if AMR-350 Audio is used.		

Autopilot/Flight Director Systems

Edo Century 41, Fully Integrated Flight Director/Autopilot System with Yaw Damper, Manual Electric Trim, Slaved Directional Gyro and NSD-360A-26 Navigation Situation Display Indicator. (Includes Credit for Standard Gyros) (Credit will be allowed for VOR Indicator not required) (If different compass system is used, credit will be given for NSD-360A-26)	45 lbs.	\$30,685.00
*King KFC-250 Flight Control System, Fully Integrated Autopilot/Flight Director with 4-inch Instruments, Yaw Damper, Manual Electric Trim, KCI-310 4-inch Flight Director Indicator, KVG-350 Gyro and KPI-552/KGS-105 Slaved Compass System. (Includes credit for Standard Gyros) (Credit will be allowed for VOR Indicator not required)	73 lbs.	52,700.00
*King KFC-250 Flight Control System, Fully Integrated Autopilot/Flight Director with 3-inch Instruments, Yaw Damper, Manual Electric Trim, KI-256 3-inch Flight Director Indicator and KI-525A/KCS-55A Slaved Compass System. (Includes Credit for Standard Gyros) (Credit will be allowed for VOR Indicator not required)	60 lbs.	33,300.00

Altitude Preselect/Encoding Altimeter

(For use with KFC-250 only)		
King KAS-297 Altitude Alerter/A-P Preselector and King KEA-346 Counter Pointer Servoed Altimeter	4 lbs.	\$10,965.00

Compass Systems

(Credit will be allowed for standard directional gyro and/or indicator when applicable.)		
Collins PN-101 Electric Nav System with 331A-3G Indicator	18 lbs.	\$11,600.00
*Sperry C-14-43 Compass System with Servo Amplifier with 331A-3G Indicator	15 lbs.	12,740.00

Encoding Altimeters

IDC 571-25005-12 Pneumatic Encoding Altimeter with Three-Pointer Display (Exchange Pilot's Standard Altimeter)	+1 lb.	+\$4,250.00
--	--------	-------------

*Requires AC Power

	Installed Weight	Suggested Selling Price
IDC 570-24929-412 Pneumatic Encoding Altimeter with Counter-Pointer Display (Exchange Pilot's Standard Altimeter)	+1 lb.	\$+8,150.00
IDC 519-28702-051 Servo'd Encoding Altimeter with Counter-Pointer Display (Exchange Pilot's Standard Altimeter) (Use with Deluxe Instrument Panel Only)	+2 lbs.	+10,070.00
IDC 540-22722-034 Altitude Alerter (Use with IDC 519-28702-051 Altimeter Only)	1 lb.	3,855.00
Smiths 01-200-102 Encoding Altimeter with Three Pointer Display (Exchange Pilot's Standard Altimeter)	+1 lb.	+2,660.00

High Frequency Communications

Collins HF-200 H.F. with Control Head, Load Adapter and Fixed Antenna)	30 lbs.	\$15,705.00
Sunair ASB-100A Single Side Band Transceiver Less Lower Side Band with Control Head, Load Coil and Fixed Antenna	31 lbs.	10,530.00
Lower Side Band for ASB-100A	Negl.	260.00

Instruments

(Credit Allowed for Instruments Exchanged)

Beech 3" Directional Gyro	3 lbs.	\$400.00
Beech 3" Gyro Horizon	3 lbs.	400.00
Collins IND-31C Indicator	2 lbs.	1,605.00
Collins IND-351A Indicator (-002)	1 lb.	695.00
Collins IND-650A Indicator	1 lb.	290.00
King KI-206 Indicator	1 lb.	890.00
King KNI-580 ADF Indicator	2 lbs.	1,040.00

Inverters

50VA Flite-Tronics PC-50 Inverter No. 1 with Failure Light	5 lbs.	\$1,950.00
50VA Flite-Tronics PC-50 Inverter No. 2	5 lbs.	1,850.00
125VA Flite-Tronics PC-125 Inverter No. 1 with Failure Light	5 lbs.	2,080.00
125VA Flite-Tronics PC-125 Inverter No. 2	5 lbs.	1,980.00
250VA Flite-Tronics PC-250 Inverter No. 1 with Failure Light	8 lbs.	2,500.00
250VA Flite-Tronics PC-250 Inverter No. 2	8 lbs.	2,400.00

Radar

Bendix RDR-150 Radar with Digital Scope and 12" Phased Array Antenna	26 lbs.	\$17,120.00
Bendix RDR-150 Color Radar with Digital Scope and 12" Phased Array Antenna	30 lbs.	21,640.00
Collins WXR-200 Color Radar with Digital Scope and 12" Non-stabilized Phased Antenna	27 lbs.	TBA
King KWX-56 Color Radar with Digital Scope and 12" Stabilized Phased Array Antenna (Stabilized only when used with KFC-250)	21 lbs.	20,275.00
Sperry Primus-200 Radar with Digital Scope and 12" Phased Array Antenna	32 lbs.	19,675.00
Sperry Primus-300SL Color Radar with Digital Scope and 12" Non-Stabilized Phased Array Antenna	40 lbs.	29,915.00

Radar Check List

Bendix CC-2024B Check List with Bendix CK-2029A Keyboard (To be used with Bendix RDR-150 Color Radar ONLY)	2 lbs.	\$6,145.00
--	--------	------------

Radio Altimeters

Bonzer Mark-10X Radar Altimeter	6 lbs.	\$4,540.00
King KRA-10A Radar Altimeter	5 lbs.	4,555.00
King KRA-405 Radar Altimeter	16 lbs.	11,525.00

Radio Telephones

NOTE: Purchaser must obtain license, telephone number and determine location and mounting		
Wulfsberg FLITEPHONE IV with One Cabin Handset	9 lbs.	TBA

RMI Indicators

(Require Automatic Omni)

NOTE: All RMI Indicators require slaved compass systems and appropriate Omni's and ADF's

*Collins RMI-30 RMI (To be used with Collins VIR-30A's)	3 lbs.	\$3,890.00
*King KI-229 Radio Magnetic Converter Indicator (To be used with Collins Micro Line and King Silver Crown Package)	3 lbs.	3,830.00
*King KNI-582 RMI (To be used with King Gold Crown)	2 lbs.	4,445.00

RNAV (Area Navigation)

Collins ANS-351 RNAV System (To be used with Collins Micro Line Only)	4 lbs.	\$7,660.00
King KNS-81 RNAV/Nav/GS Unit (Exchange for KN-53 Nav Receiver and KN-72 Converter)	Negl.	+6,535.00

Second Transponders

Collins TDR-90 Transponder with DM NI 50-4 Antenna (No Control)	10 lbs.	\$5,705.00
Collins TDR-950 Transponder with B18 Antenna	8 lbs.	2,455.00
King KXP-756 Transponder with B18 Antenna (No Control)	10 lbs.	5,760.00
King KT-76A Transponder and B18 Antenna	7 lbs.	2,490.00
Remote Transponder Ident Button Control Wheel Mounted	Negl.	275.00

Miscellaneous

Pilot-to-Cabin Paging with Amplifier and 2 Cabin Speakers	4 lbs.	\$1,300.00
ADF Audio for Cabin Speaker (To be used with Cabin Paging)	Negl.	330.00
EC-100 AM/FM Cassette Stereo System with 4 Stereo Headphones	8 lbs.	2,515.00
with 6 Stereo Headphones	9 lbs.	3,055.00
Dual Marker Lights (Not to be used with KMA-24 or AMR-350)	Negl.	340.00
Omni Range Filter (Not to be used with KMA-24 or AMR-350)	1 lb.	335.00
Dual Omni Range Filters (Not to be used with KMA-24 or AMR-350)	2 lbs.	640.00
Mic Key Button in Copilot's Wheel	Negl.	265.00
Plantronics Boom Mic with Headset in Addition to Standard Mic and Headset	1 lb.	425.00
Speaker Sidetone with Volume Pot and On-Off Switch (For use with King KMA-24 Audio Console Only)	Negl.	395.00

*Requires AC Power

CMH 16@ 12 P - 37/28 2220 G28 LGT PHE

MFD 18@ 7 39/31 2472 G39

fly as you pay with . . .

**BEECHCRAFT FINANCE
AND LEASE PLANS**

Your Beechcraft salesman will be happy to explain easy ways to acquire your new Duke B60 without using your valuable working capital. Either a Beech finance or lease plan can be tailored to fit your specific business requirements.

Leasing through the Beech Acceptance Corporation gives you the advantage of a company-owned plane which remains yours for the life of the lease, three to five years. Leasing can be terminated at any time with a small closing payment . . . or converted into a purchase plan with the bulk of the lease payments applying against the purchase price.

A wide choice of both leasing and finance plans is available to you through the Beech Acceptance Corporation. Just one specific advantage of all such plans is lower cost group insurance. Ask your Beechcraft salesman for details!



Beech Aircraft Corporation
Wichita, Kansas 67201, U.S.A.

Beechcraft airplanes are manufactured by Beech Aircraft Corporation, Wichita, Kansas 67201, U.S.A.

All specifications and prices contained in this brochure are subject to change without notice.

Printed in U.S.A.

82PL/B60/A

© 10-81

Member of General Aviation Manufacturers Association 

A Raytheon Company