B60 Reechcraft B60

Suggested PRICE LIST





Powered with Two Six-Cylinder Lycoming TI0-541-E1C4 Turbocharged Engines Rated at 380 Horsepower each. Equipped with Avionics. Pressurized.

Suggested Selling Price: \$279,500.00

F.A.F., Wichita, Kansas

OPTIONAL EQUIPMENT			
OFFERED FOR FACTORY IN	IST/	ALLA	TION
		alled ight	Suggested Selling Pric
-Air Conditioner (Refrigeration Type)	66	lbs.	\$6,520.0
- Brakes, Copilot	6	lbs.	410.0
Cabin Interior Items			
Club Seating — Includes			
Aft Facing 3rd and 4th Seats with Headrests, without Shoulder Harness			
Forward Facing 5th and 6th Seats, with Headrest and Shoulder Harness			
Forward Cabin Curtain			
(Exchange Standard 3rd and 4th Chair Arrangement)	±57	lbs.	+3,760.0
Fifth and Sixth Seats with Air Outlets	10,	100.	10,700.0
and Reading Lights, Headrests, Seat Belts, and Shoulder Harnesses	54	lbs.	3,795.0
-Desk, Executive Writing (Mounted on			
Right Sidewall, used with Club Seating Arrangement only)	10	ibs.	735.00
Forward Cabin Curtain (Used with Standard Seating Configuration)	3	lbs.	335.0
 Lavatory (Dry Toilet) Mounted in Sixth Seat, with Privacy Curtain 	7	lbs.	770.00
Relief Tube — Pilot		ibs.	205.00
Clock — Pilot's Control Wheel	•		200.0
Chronograph (Exchange)	N	legl.	+185.00
-Digital Chronometer (Exchange)	N	legl.	+240.00
Deicing/Anti-Icing Systems			
 Deicing Boots, Automatic Lightweight (Includes Wing Ice Light) 	06	lho	7 750 00
Propeller Anti-Icing, Electric		lbs. lbs.	7,750.00 3,225.00
Windshield Anti-Icing — Electric		103.	0,220.00
(Left Side ONLY)	26	lbs.	5,070.00
Fire Extinguisher, Cabin (Halon)	5	lbs.	125.00
Flags, United States (Scotchcal) (Set of two 7.5" x 12" Slanted)	N	legl.	21.00
Fuel			
Extended Range Wing Fuel Tanks Option No. 1 (202 gallon replaces 142 gallon)	+33	lbs.	+3,840.00
- Option No. 2 (232 gallon			
replaces 142 gallon)	+53	lbs.	+7,620.00
Instruments Airspeed Indicator - MPH and Knots			
(each) (Exchange for Knots only)	N	legl.	+60.00
Deluxe Instrument Panel — Includes:		lbs.	2,430.00
Second Airspeed Indicator Second Altimeter			
Second Rate of Climb Indicator			
Second Turn and Bank Indicator Second Gyro Horizon			
Second Directional Gyro			
Second Heated Pitot			
Second Static System Engine Hour Recorder	1	lb.	156.00
Flight Hour Recorder	-	lb.	156.00
Instantaneous Vertical Speed Indicator	•		
(Exchange) —Tachometer with Synchroscope	١	legi.	+605.00
(Exchange)	١	legi.	+295.00

	T.A.I., Wichita, Nansat	
Lighting Exterior	Installed Weight	Suggested Selling Price
Lighting - Exterior	4 lb	#7 4 0.00
Recognition Lights - Wing Tips	1 lb.	\$710.00
Strobe Lights - 3 Light System (Wing Tips and Tail)	13 lbs.	2,180.00
-Wing Ice Light	1 lb.	160.00
Lighting - Interior		100.00
Internally Lighted Instruments —		
Pilot and Copilot	Negl.	1,475.00
Map Light — Copilot's Control Wheel	Negl.	115.00
Oxygen Installation (6 outlets, Lightweight	nog	
Bottle)		
a. 11 cubic foot Bottle	19 lbs.	1,770.00
b. 22 cubic foot Bottle	24 lbs.	1,850.00
c. 49 cubic foot Bottle	34 lbs.	2,025.00
-Paint, Urethane (in standard Beech colors) (Exchange for standard paint)	Negl.	+530.00
Propeller		
Synchronizer	7 lbs.	2,075.00
Unfeathering Accumulators	14 lbs.	540.00
Cabinetry		
Refreshment Cabinet (Walnut Finish) (Forward Left Side Only) (Used with Club Seating Arrangement Only)		
 a. With One Quart Thermos Bottle, Ice Chest and General Storage 		
(four drawer)	27 lbs.	\$1,040.00
b. With 1/2 Gallon Electric Coffee Unit.		. ,-
Water Dispenser, Ice Chest and General Storage (two drawer)	38 lbs.	1,665.00
INTERIOR TRIM OPTIONS (Exchange for	standard v	inyl)
Leather Upper and Lower Sidewalls	Negl.	\$+570.00
Leather Center Sidewalls	Negl.	+325.00
Leather Chair Trim with Fabric Inserts (Exchange for Standard Vinyl)	_	
a. 4 Chairs	Negl.	+648.00
b. Each Additional Chair	Negl.	+162.00
	=	
OTANDARD AVIOLICO	AOKAGE	

STANDARD AVIONICS PACKAGE

Collins	Micro	Line	
with		ain VHF Tra Power Adap na	
with		nni No. 1 Re OR/ILS Indi	
Collins	4MR-350 A	udio Panel	
AMF		acon incorpo le Set Marke na	
		DF with IND NT-650A Ar	
	GLS-350 G A-326A Ar	lideslope Re itenna	eceiver
Collins	FDR-950 Ti	ransponder	with B18

Beech Metal Radio Panel, Radio Accessories, and Static Wisks Installed Weight Included in Empty Weight of Airplane

Antenna



Installed Weight Suggested Selling Price

Mic Key Button in Pilot's Control Wheel White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

OPTIONAL AVIONICS PACKAGES IN LIEU OF STANDARD AVIONICS

Collins Micro Line

+24 lbs. \$+10,420.00

Collins VHF-251 Main VHF Transceiver with PWC 150 Power Adapter and B3 Com Antenna

Collins VHF-251 Standby VHF Transceiver with PWC-150 Power Adapter and A15 Com Antenna

Collins VIR-351 Omni No. 1 Receiver with IND-351 VOR/ILS Indicator and B38 Antenna

Collins VIR-351 Omni No. 2 Receiver with IND-351 VOR/ILS Indicator and B8 Coupler

Collins AMR-350 Audio Panel

Collins Marker Beacon incorporated in AMR-350, Single Set Marker Lights and B16 Antenna

Collins ADF-650 ADF with IND-650 Indicator and ANT-650A Antenna

Collins GLS-350 Glideslope Receiver with A-326A Antenna

Collins DME-451 DME with IND-451 Indicator, Nav 1/Nav 2 Switching, DME Hold, and B18 Antenna

Collins TDR-950 Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories, and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

Collins Pro Line

+62 lbs. \$+41,400.00

Collins VHF-20A Main Transceiver with Dual Gables Controls and B3 Antenna

Collins VHF-20A Standby Transceiver with Gables Control and A15 Antenna

Collins VIR-30 MGM Manual Omni No. 1 with 331H-3G Indicator, Gables Control and B38 Nav Antenna

Collins VIR-30M Manual Omni No. 2 with 331H-3G Indicator and Gables Control

Collins 356C-4 Isolation Amplifier and 356F-3 Speaker Amplifier with Single Audio Switch Panel

Collins ADF-60A ADF With KNI-580 Indicator, Gables Control, Voice Range Filter and ANT-60A Antenna

Collins Marker Beacon Included in No. 1 VIR-30 with B16 Antenna and Single Set Marker Lights

Collins Glideslope Included in No. 1 VIR-30 with A-326A Antenna Installed Weight Suggested Selling Price

Collins DME-40 DME with 339F-12 Indicator, Nav 1/Nav 2 Switching, DME Hold, and 237Z-1 Antenna

Collins TDR-90 Transponder with 237Z-1 Antenna

Single 125VA Flite-Tronics PC-14B Inverter with Failure Light

Beech Custom Edgelighted Radio Panel, Radio Accessories, Static Wicks and Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones, Headsets and Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

King Silver Crown

+33 lbs. \$+10,280.00

King KX-175B Main VHF Nav/Com with KN-72 VOR/LOC Converter, KI-206 Indicator, B3 Com Antenna and B38 Nav Antenna

King KX-175B Standby VHF Nav/Com with KN-72 VOR/LOC Converter, KI-206 Indicator and A15 Antenna

King KMA-20 Audio Panel

King Marker Beacon Incorporated in KMA-20, Single Set Marker Lights and B16 Antenna

King KR-85 ADF with KI-225 Indicator and Polyethylene Sense Antenna

King KN-75 Glideslope Receiver with A-326A Antenna

King KN-65A DME with Nav 1/Nav 2 Switching, DME Hold, and B18 Antenna

King KT-76A Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

King Gold Crown

+59 lbs. \$+32,650.00

King KTR-905 Main Transceiver with Dual Gables Controls and B3 Com Antenna

King KTR-905 Standby Transceiver with Gables Control and A15 Antenna

King KNR-630 Manual Omni No. 1 with KI-206 Indicator and Gables Control with B38 Nav Antenna

King KNR-632 Manual Omni No. 2 with KI-206 Indicator and Gables Control

King KAA-455 Isolation-Speaker Amplifier and Single Audio Switch Panel

King Glideslope Receiver included in No. 1 KNR-630 with A-326A Antenna

King KMR-675 Marker Beacon Receiver With B16 Antenna, Single Set Marker Lights

King KDF-805 ADF with KNI-580 Indicator, Voice Range Filter and Polyethylene Sense Antenna

	Installed Weight	Suggested Selling Price
King KDM-705A DME with KDI-571 Indi-		•
cator, Nav 1/Nav 2 Switching, DME		
Hold, and B18 Antenna		
King KXP-755 Transponder with Gables Control and B18 Antenna		
Beech Custom Edgelighted Radio Panel		
Radio Accessories, Static Wicks and Mic		
Key Button in Pilot's Control Wheel		
White Lighting		
Dual Microphones and Headsets, Single		
Cockpit Speaker		
Avionics Master Switch		
NOTICE: VHF Transceivers will have 25h		
spacing unless otherwise spec	ified.	

OPTIONS TO THE STANDARD AND OPTIONAL AVIONICS PACKAGES

II AND OPTIONAL AVIONICS	PACKA	aco
ADF		
King KDF-805 ADF, Voice Range Filter and KNI-580 Indicator (exchange KR-85 ADF, Voice Range Filter and KI-225 Indicator) NOTE: Voice Range Filter not appli- cable if KMA-20 Audio is used. *Collins ADF-60A, Voice Range Filter	+8 lbs.	\$+2,995.00
and KNI-580 Indicator (Exchange ADF-650 ADF and IND-650 Indicator) NOTE: Voice Range Filter not appli- cable if AMR-350 is used.	+6 lbs.	+4,175.00
Antennas		
Collins 37R-2 Com Antenna (exchange B Collins 37X-2 Marker Beacon Antenna	3) Negl.	\$+186.00
(exchange B16)	Negl.	+100.00
Audio System		
Collins 356C-4 Isolation Amplifier, Collins 356F-3 Speaker Amplifier and King KMR-675 Marker Receiver with Single Lights	3	
a. Exchange for KMA-20 b. Exchange for AMR-350	+3 lbs. +3 lbs.	+1,120.00 +1,065.00
DME		
Collins DME-40 with 339F-12 Indicator, Nav 1/Nav 2 Switching, DME Hold, and 237Z-1 Antenna (Less Control) (Exchange for King KDM-705 DME) King KN-65A DME with KI-266 Indicator, KA-43 Adapter, DME Hold, B18 Antenna, and Nav 1/Nav 2 Switching (Less Control) (Exchange for Collins DME-451 DME)	-3 lbs.	\$+1,484.00 -340.00
Omnis - Automatic		
*Collins VIR-30A Automatic Omni (No Control or Indicator) (Exchange VIR-30M) *Collins VIR-30AGM Automatic Omni (No	Negl.	\$+880.00
Control or Indicator) (Exchange VIR-30MGM) *King KNR-630 Automatic Omni	Negl.	+665.00
(No Control and Indicator) (exchange KNR-632)	Negl.	+1,360.00
Transponders		
Sperry TP-114B Transponder with Gables	3	
Control and B18 Antenna (Exchange Collins TDR-90) Sperry TP-114B Transponder with Gables	+3 lbs.	\$185.00
Control and B18 Antenna (Exchange King KXP-755) *Requires AC Power	+4 lbs.	+265.00

ADDITIONAL AVIONICS EQUIPMENT

ADDITIONAL AVIONICS EC	QUIPMI	
	Installed Weight	Suggested Selling Price
Second ADF Systems		
King KDF-805 ADF, KNI-580 Single Pointer Indicator and Voice Range Filter with external sense antenna King KR-85 ADF, KI-225 Indicator and	20 lbs	. \$6,300.00
Voice Range Filter with external sense antenna NOTE: Voice Range Filter not appli-	13 lbs	3,305.00
cable if KMA-20 Audio used. Collins ADF-650 ADF, IND-650 Indicator and Voice Range Filter with ANT-650, Antenna NOTE: Voice Range Filter not appli- cable if AMR-350 Audio is use	11 lbs	3,085.00
Autopilot/Flight Director System	ems	
Bendix FCS-810 Flight Control System, Fully Integrated Autopilot/Flight Director, with Yaw Damper, Manual Electric Trim, DH-841V Flight Director Indicator, and Slaved SG-832C Directional Gyro (Includes Credit for Standard Gyros) (Credit will be allowed for VOR Indicator not Required) Edo-Aire Mitchell Century IV, Fully Integrated Flight Director/Autopilot System with Yaw Damper, Manual Electric Trim, Unslaved Directional Gyro and NSD-360A-15 Navigation Situation Display Indicator and Unslaved Directional Gyro (Includes Credit for Standard Gyros) (Credit will be allowed for VOR Indicator not required.) (If Different Compass System is used, credit will be given for NSD-360A-15.)	ed 61 lbs. 32 lbs.	
Compass Systems		
(Credit will be allowed for standard		
directional gyro and/or indicator when applicable.) Collins PN-101 Electric Nav System with 331A-3G Indicator Edo-Aire Mitchell NSD-360A-26 Slaved Compass System (Not to be used	21 lbs.	\$7,705.00
with RMI) *Sperry C-14-43 Compass System with	7 lbs.	5,120.00
Servo Amplifier with 331A-3G Indicator	15 lbs.	8,265.00
Encoding Altimeters		
Bendix 3252013-1101 Encoding Altimeter (Exchange Pilot's Standard Altimeter) Edo-Aire IU306-002 Electric-Servo'd Encoding Altimeter with Counter-	+1 lb.	\$+2,035.00
Pointer Display (In Addition to Standard Altimeter) IDC 570-24929-412 Pneumatic Encoding	2 lbs.	1,970.00
Altimeter with Counter-Pointer Displat (Exchange Pilot's Standard Altimeter) IDC 519-28702-051 Servo'd Encoding	+1 lb.	+4,225.00
Altimeter with Counter-Pointer Displa (Exchange Pilot's Standard Altimeter) IDC 540-22722-034 Altitude Alerter (Use	y +3 lbs.	+6,885.00
with IDC 519-28702-051 Altimeter only)	2 lbs.	2,675.00
Smiths 01-200-102 Encoding Altimeter with Three Pointer Display (Exchange Pilot's Standard Altimeter) *Requires AC Power	+1 lb.	+2,185.00

	Installed Weight	Suggested Selling Price		Installed Weight	Suggested Selling Price
High Frequency Communicati	-		*Collins 332C-10 (To be used with Collins	_	
Sunair ASB-100A Single Side Band Transceiver less Lower Side Band			VIR-30A's) *King KI-226 Radio Magnetic Converter	3 lbs.	\$2,680.00
with Control Head, Load Coil			Indicator (To be used with Collins		
and Fixed Antenna	31 lbs.	\$6,490.00	Micro Line and King Silver Crown Package)	2 lbs.	2,655.00
Lower Side Band for ASB-100A	Negl.	180.00	*King KNI-581 RMI (To be used with	0 lbo	2 190 00
Instruments			King Gold Crown)	2 lbs.	2,180.00
(Credit Allowed for Instruments Exchange	d)		RMI Adapters		
Beech 3" Directional Gyro	3 lbs.	\$300.00	(To Be Used with RMI's and Appropriate AD	F's)	
Beech 3" Gyro Horizon	3 lbs.	300.00	*King KI-225-01 ADF Indicator/RMI	•	
Collins 331H-3G Indicator	3 lbs.	1,167.00	Adapter (Used with KR-85 and RMI)		
Collins IND-351 Indicator	1 lb.	485.00	(Exchange for KI-225 Indicator)	Negl.	\$+425.00
Collins IND-650 Indicator	1 ib.	215.00			
King KI-206 Indicator	1 lb.	624.00	RNAV (Area Navigation)		
King KNI-580 ADF Indicator	2 lbs.	430.00	Collins ANS-351 RNAV System (To be used with Collins Micro Line Only)	4 lbs.	TBA
Inverters			King KNC-610 RNAV System (Requires	. 150.	, _,
125VA Flite-Tronics PC-14B Inverter			KDM-705A DME, KN-65A DME, or Collins DME-40)	4 lbs.	\$5,835.00
No. 1 with Failure Light	5 lbs.	\$1,395.00	1	4 103.	\$5,005.00
125VA Flite-Tronics PC-14B Inverter	5 35 -	4.045.00	King KN-74 RNAV System (To be used with KX-175 or VIR-351 and KN-65A		
No. 2	5 lbs.	1,315.00	DME)	4 lbs.	4,450.0
250VA Flite-Tronics PC-15B Inverter No. 1 with Failure Light	3 lbs.	1,800.00			·
250VA Flite-Tronics PC-15B Inverter			Second Transponders		
No. 2 600VA Flite-Tronics PC-17 Inverter	3 lbs.	1,720.00	Collins TDR-90 Transponder with 237Z-1 Antenna (No Control)	9 lbs.	\$3,755.0
No. 1 with Failure Light	15 lbs.	2,340.00	Collins TDR-950 Transponder with B18		
600VA Flite-Tronics PC-17 Inverter			Antenna	5 lbs.	1,545.0
No. 2	15 lbs.	2,260.00	King KXP-755 Transponder with B18	.	0.00= 0
Radar			Antenna (No Control)	8 lbs.	3,305.00
			King KT-76 Transponder and B18 Antenn	a 6 lbs.	1,525.00
★Bendix RDR-130 Radar with Digital Sco and 12" Phased Array Antenna	pe 26 lbs.	\$13,490.00	Sperry TP-114B Transponder with B18 Antenna (No Control)	12 lbs.	3,570.00
Bendix RDR-150 Radar with Digital Sc		40 440 00			
and 12" Phased Array Antenna	26 lbs.	13,410.00	Miscellaneous		
King KWX-50 with Digital Scope and Parabolic Antenna	39 lbs.	8,445.00	AAR 2502W Monitor Indicator wtih Nav 1 and Nav 2 Switching	2 lbs.	\$790.0
RCA Primus-20B Radar with Digital Sco			-Pilot-to-Cabin Paging with Amplifier		,
and 12" Non-stabilized Phased Arra Antenna	y 31 lbs.	12,845.00	and 2 Cabin Speakers	3 lbs.	760.0
		12,043.00	ADF Audio for Cabin Speaker (To be use	d	
RCA Primus-30 Radar with Digital Scop and 12" Non-stabilized Phased Arra			with Cabin Paging)	Negl.	170.0
Antenna	31 lbs.	19,030.00	Dual Marker Lights (Not to be used with KMA-20 or AMR-350)	Negl.	185.0
Radio Altimeters			Omni Range Filter (Not to be used	-	
Bonzer Mark-10X Radar Altimeter	6 lbs.	\$3,345.00	with KMA-20 or AMR-350)	1 lb.	255.0
King KRA-405 Radar Altimeter	6 lbs.	6,570.00	Dual Omni Range Filters (Not to be used with KMA-20 or AMR-350)	2 lbs.	485.00
RMI Indicators			Mic Key Button in Copilot's Wheel	Negl.	150.00
	(f)\		Plantronics Boom Mic with Headset in	3	
(Require Automatic Omni and Servo Ampli NOTE: All RMI Indicators require sla	ved		Addition to Standard Mic and Headse	1 lb.	270.00
compass systems and appropr Omni's and ADF's	iate		*Requires AC Power		

fly as you pay with . . .

BEECHCRAFT FINANCE AND LEASE PLANS

Your Beechcraft salesman will be happy to explain easy ways to acquire your new Duke B60 without using your valuable working capital. Either a Beech finance or lease plan can be tailored to fit your specific business requirements.

Leasing through the Beech Acceptance Corporation gives you the advantage of a company-owned plane which remains yours for the life of the lease; three to five years. Leasing can be terminated at any time with a small closing payment... or converted into a purchase plan with the bulk of the lease payments applying against the purchase price.

A wide choice of both leasing and finance plans is available to you through the Beech Acceptance Corporation. Just one specific advantage of all such plans is lower cost group insurance. Ask your Beechcraft salesman for details!



Beech Aircraft Corporation

Wichita, Kansas 67201, U.S.A.